

Innovative: The new EKU-CLIPO 16 with soft close

Invisible sliding convenience

The name EKU-CLIPO has always been closely associated with high-quality and sophisticated sliding solutions in the lightweight furniture construction area. Swiss company EKU AG has now added a new highlight to the product range in the form of the EKU-CLIPO 16 with soft closing mechanism. It is the logical further development of the well-known EKU-CLIPO 15, which established itself on the market extremely well after its introduction in 1995 because of its excellent characteristics, such as outstanding running properties and a considerable level of sliding convenience. New features are the invisible soft closing system with self-closing and retaining mechanisms, that is concealed in the running track, and the increase in the maximum door weight to 16 kg.

Increasing the size of the rollers has given the new arrival in the EKU-CLIPO family even more running quality. The well-designed soft closing mechanism is based on a new hydraulic damping system that has been newly developed by EKU, which ensures that the door comes to a gentle stop and glides elegantly into its end position. This extremely efficient technology protects the maintenance-free fitting system. The soft closing mechanism is completely integrated in the running track and is therefore totally invisible - an aesthetic benefit.

This compact solution makes the EKU-CLIPO 16 unique on the market.

**More information is
available from:**

Daniel Schnyder
EKU AG Sliding Solutions
Wilerstrasse 90
CH-8370 Sirnach, Switzerland
office@eku.ch
Tel. + 41 (0)71 96 96 100
Fax +41 (0)71 96 96 110

Quick and easy installation

Installation is also easy and cost-efficient with the new EKU-CLIPO 16 with optional soft closing system. The housing is merely screwed into a 35 mm hole. The runner can be clipped into the housing without tools, and is just as easy to remove. The running tracks are groove mounted or surface mounted, and the guide track is also groove mounted. The height of the doors can then be conveniently adjusted by hand using a rotary wheel.

Infront and Mixfront versions of the new EKU product highlight are also available. The EKU-CLIPO 16 system is used for one or two doors per furniture item, weighing up to 16 kg per door. EKU supplies its latest solution for 1,500 x 1,000 mm wooden doors that are between 16 and 19 mm thick. The EKU-CLIPO 16 with soft closing mechanism will be available from specialist dealers from July 2009.

The running technology and the soft closing mechanism in all EKU products come from a single source, which is another important argument for users in the wood processing trade and the furniture industry. The product responsibility for quality and perfect interaction between the components lies with one and the same partner, which is an extremely cost-efficient and reliable situation.

A valuable member of the EKU-CLIPO family

The EKU-CLIPO 16 benefits from the many plus points of the large EKU-CLIPO family. Like the EKU-CLIPO 10, 15, 25 and 35, it is the system of choice for compact sliding solutions in the top-class living and office areas. The extremely quiet running technology provides maximum convenience, and a variety of designs open up a countless number of possibilities for planners.

EKU is highlighting its pioneering role in the development of sophisticated sliding solutions with this addition to the EKU-CLIPO family. The use of top quality materials is a matter of course.

More information is available from:

Daniel Schnyder
EKU AG Sliding Solutions
Wilerstrasse 90
CH-8370 Sirmach, Switzerland
office@eku.ch
Tel. + 41 (0)71 96 96 100
Fax +41 (0)71 96 96 110

The company is always at the cutting edge because of its intensive and close collaboration with a considerable number of partners from industry and building trade – and is often even ahead of the rest. The fact that EKU sets standards in modern, future-oriented furniture design is also reflected in the many design awards that the company has received.



EKU-CLIPO 16_1.jpg

An aesthetic advantage: The running gear and soft close mechanism of the new EKU-CLIPO 16 are invisible after installation, since they disappear into the running track without trace.

Photo: EKU AG

**More information is
available from:**

Daniel Schnyder
EKU AG Sliding Solutions
Wilerstrasse 90
CH-8370 Sirmach, Switzerland
office@eku.ch
Tel. + 41 (0)71 96 96 100
Fax +41 (0)71 96 96 110